Contents

The Journal of Clinical Investigation

January 1, 1996, Volume 97, Number 1

Editorials

The times they are still a'changing: keeping up with the times. *A.P. Varki* 1

Molecular Medicine in genetically engineered animals: series introduction. *K.R. Chien* 2

Perspectives

Gene modification via "plug and socket" gene targeting. *J. Lewis, B. Yang, P. Detloff, and O. Smithies* 3

Regular Articles

Digoxin reduces β-adrenergic contractile response in rabbit hearts. Ca^{2+}-dependent inhibition of adenylyl cyclase activity via Na^+/Ca^{2+} exchange. *K. Nagai, T. Murakami, T. Iwase, T. Tomita, and S. Sasayama* 6

Sex steroids, bone mass, and bone loss. A prospective study of pre-, peri-, and postmenopausal women. *C. Slemenda, C. Longcope, M. Peacock, S. Hui, and C.C. Johnston* 14

Vitamin C improves endothelium-dependent vasodilation in patients with non–insulin-dependent diabetes mellitus. *H.H. Ting, F.K. Timimi, K.S. Boles, S.J. Creager, P. Ganz, and M.A. Creager* 22

Red cell membrane remodeling in sickle cell anemia. Sequestration of membrane lipids and proteins in heinz bodies. *S-C. Liu, S.J. Yi, J.R. Mehta, P.E. Nichols, S.K. Ballas, P.W. Yacono, D.E. Golan, and J. Palek* 29

Distribution and regulation of plasminogen activator inhibitor-1 in murine adipose tissue in vivo. Induction by tumor necrosis factor-α and lipopolysaccharide. *F. Samad, K. Yamamoto, and D.J. Loskutoff* 37

Functional magnetic resonance imaging reveals brain regions mediating the response to resistive expiratory loads in humans. *D. Gozal, O. Omidvar, K.A.T. Kirlew, G.M. Hathout, R.B. Lufkin, and R.M. Harper* 47

Modulation of L-Selectin ligand expression during an immune response accompanying tumorigenesis in transgenic mice. *S.V. Onrust, P.M. Hartl, S.D. Rosen, and D. Hanahan* 54

Prolonged postprandial responses of lipids and apolipoproteins in triglyceride-rich lipoproteins of individuals expressing an apolipoprotein ε4 allele. *N. Bergeron and R.J. Havel* 65

Accumulation of methotrexate polyglutamates in lymphoblasts is a determinant of antileukemic effects in vivo. A rationale for high-dose methotrexate. *E. Masson, M.V. Relling, T.W. Synold, Q. Liu, J.D. Schuetz, J.T. Sandlund, C-H. Pui, and W.E. Evans* 73

Comparison of the time courses of insulin and the portal signal on hepatic glucose and glycogen metabolism in the conscious dog. *M.J. Pagliassotti, L.C. Holste, M.C. Moore, D.W. Neal, and A.D. Cherrington* 81

Gastric emptying and release of incretin hormones after glucose ingestion in humans. *J. Schirra, M. Katschinski, C. Weidmann, T. Schäfer, U. Wank, R. Arnold, and B. Göke* 92

Increased δ aminolevulinic acid and decreased pineal melatonin production *H. Puy, J-C. Deybach, A. Bogdan, J. Callebert, M. Baumgartner, P. Voisin, Y. Nordmann, and Y. Touitou* 104

IgG antiendothelial cell autoantibodies from scleroderma patients induce leukocyte adhesion to human vascular endothelial cells in vitro. *D. Carvalho, C.O.S. Savage, C.M. Black, and J.D. Pearson* 111

Role of angiotensin II in dietary modulation of rat late distal tubule bicarbonate flux in vivo. *D.Z. Levine, M. Iacovitti, S. Buckman, and K.D. Burns* 120

Direct assessment of liver glycogen storage by ^{13}C nuclear magnetic resonance spectroscopy and regulation of glucose homeostasis after a mixed meal in normal subjects. *R. Taylor, I. Magnusson, D.L. Rothman, G.W. Cline, A. Caumo, C. Cobelli, and G.I. Shulman* 126

Elimination of the action of glucagon-like peptide 1 causes an impairment of glucose tolerance after nutrient ingestion by healthy baboons. *D.A. D'Alessio, R. Vogel, R. Prigeon, E. Laschansky, D. Koerker, J. Eng, and J.W. Ensinck* 133

G-protein coupled and tyrosine kinase receptors: evidence that activation of the insulin-like growth factor I receptor is required for thrombin-induced mitogenesis of rat aortic smooth muscle cells. *P. Delafontaine, A. Anwar, H. Lou, and L. Ku* 139

Induction of cyclin a gene expression by homocysteine in vascular smooth muscle cells. *J.-C. Tsai, H. Wang, M.A. Perrella, M. Yoshizumi, N.E.S. Sibinga, L.C. Tan, E. Haber, T.H-T. Chang, R. Schlegel, and M-E. Lee* 146

Profound induction of hepatic cholesteryl ester transfer protein transgene expression in apolipoprotein e and low density lipoprotein receptor gene knockout mice. *L. Masucci-Magoulas, A. Plump, X.C. Jiang, A. Walsh, J.L. Breslow, and A.R. Tall* 154

Involvement of wound-associated factors in rat brain astrocyte migratory response to axonal injury: in vitro simulation. *A. Faber-Elman, A. Solomon, J.A. Abraham, M. Marikovsky, and M. Schwartz* 162

Inhibition of cyclic 3′-5′-guanosine monophosphate-specific phosphodiesterase selectively vasodilates the pulmonary circulation in chronically hypoxic rats. *A.H. Cohen, K. Hanson, K. Morris, B. Fouty, I.F. McMurtry, W. Clarke, and D.M. Rodman* 172

Mechanism of impaired glucose-potentiated insulin secretion in diabetic 90% pancreatectomy rats. Study using glucagonlike peptide–1 (7–37). *Y.A. Hosokawa, H. Hosokawa, C. Chen, and J.L. Leahy* 180

Heparin-binding secretory transforming gene (*hst*) facilitates rat lactotrope cell tumorigenesis and induces prolactin gene transcription. *I. Shimon, A. Hüttner, J. Said, O.M. Spirina, and S. Melmed* 187

A single strand conformation polymorphism study of cd40 ligand. *Q. Lin, J. Rohrer, R.C. Allen, M. Larché, J.M. Greene, A.O. Shigeoka, R.A. Gatti, D.C. Derauf, J.W. Belmont, and M.E. Conley* 196

Maternal vasoactive intestinal peptide and the regulation of embryonic growth in the rodent. *J.M. Hill, S.K. McCune, R.J. Alvero, G.W. Glazner, K.A. Henins, S.F. Stanziale, J.R. Keimowitz, and D.E. Brenneman* 202

Cerebral protection in homozygous null ICAM-1 mice after middle cerebral artery occlusion. Role of neutrophil adhesion in the pathogenesis of stroke. *E.S. Connolly, Jr., C.J. Winfree, T.A. Springer, Y. Naka, H. Liao, S.D. Yan, D.M. Stern, R.A. Solomon, J-C. Gutierrez-Ramos, and D.J. Pinsky* 209

Allogeneic hematolymphoid microchimerism and prevention of autoimmune disease in the rat. A relationship between allo- and autoimmunity. *C.P. Delaney, N. Murase, M. Chen-Woan, J.J. Fung, T.E. Starzl, and A.J. Demetris* 217

Rapid Publications

Transient introduction of a foreign gene into healing rat patellar ligament. *N. Nakamura, S. Horibe, N. Matsumoto, T. Tomita, T. Natsuume, Y. Kaneda, K. Shino, and T. Ochi* 226

Bleomycin-induced pulmonary fibrosis in transgenic mice that either lack or overexpress the murine plasminogen activator inhibitor-1 gene. *D.T. Eitzman, R.D. McCoy, X. Zheng, W.P. Fay, T. Shen, D. Ginsburg, and R.H. Simon* 232

Receptor-mediated endothelial cell dysfunction in diabetic vasculopathy. Soluble receptor for advanced glycation end products blocks hyperpermeability in diabetic rats. *J-L. Wautier, C. Zoukourian, O. Chappey, M.-P. Wautier, P-J. Guillausseau, R. Cao, O. Hori, D. Stern, and A.M. Schmidt* 238

Interleukin 6 receptor antibody inhibits muscle atrophy and modulates proteolytic systems in interleukin 6 transgenic mice. *T. Tsujinaka, J. Fujita, C. Ebisui, M. Yano, E. Kominami, K. Suzuki, K. Tanaka, A. Katsume, Y. Ohsugi, H. Shiozaki, and M. Monden* 244

The potent anti–*staphylococcus aureus* activity of a sterile rabbit inflammatory fluid is due to a 14-kD phospholipase A2. *Y. Weinrauch, P. Elsbach, L. M. Madsen, A. Foreman, and J. Weiss* 250

Human diabetes associated with defects in nuclear regulatory proteins for the insulin receptor gene. *A. Brunetti, L. Brunetti, D. Foti, D. Accili, and I. D. Goldfine* 258

Na^+/*Myo*-inositol transport is regulated by basolateral tonicity in madin-darby canine kidney cells. *A. Yamauchi, T. Sugiura, T. Ito, A. Miyai, M. Horio, E. Imai, and T. Kamada* 263

Author Index 269

Correction 271

Contents

The Journal of Clinical Investigation

January 15, 1996, Volume 97, Number 2

Editorial

Probing the depths of degradation: matrix metalloproteinase-2 and endometrial menstrual breakdown. *L.A. Liotta* 273

Perspectives

Biological insights through genomics: mouse to man *E.M. Rubin and G.S. Barsh* 275

Regular Articles

Role of transiently altered sarcolemmal membrane permeability and basic fibroblast growth factor release in the hypertrophic response of adult rat ventricular myocytes to increased mechanical activity in vitro. *D. Kaye, D. Pimental, S. Prasad, T. Mäki, H.-J. Berger, P.L. McNeil, T.W. Smith, and R.A. Kelly* 281

Regulation of rat hepatic low density lipoprotein receptors. In vivo stimulation by growth hormone is not mediated by insulin-like growth factor I. *M. Rudling, H. Olivecrona, G. Eggertsen, and B. Angelin* 292

Insulin-like growth factor-1 is a potent neuronal rescue agent after hypoxic-ischemic injury in fetal lambs. *B.M. Johnston, E.C. Mallard, C.E. Williams, and P.D. Gluckman* 300

Recombinant interferon-alpha selectively inhibits the production of interleukin-5 by human $CD4^+$ T cells. *L. Schandené, G.F.F. Del Prete, E. Cogan, P. Stordeur, A. Crusiaux, B. Kennes, S. Romagnani, and M. Goldman* 309

Functional expression of fas and fas ligand on human gut lamina propria T lymphocytes. A potential role for the acidic sphingomyelinase pathway in normal immunoregulation. *R. De Maria, M. Boirivant, M.G. Cifone, P. Roncaioli, M. Hahne, J. Tschopp, F. Pallone, A. Santoni, and R. Testi* 316

Dynamics of viral replication in infants with vertically acquired human immunodeficiency virus type 1 infection. *A. De Rossi, S. Masiero, C. Giaquinto, E. Ruga, M. Comar, M. Giacca, and L. Chieco-Bianchi* 323

Antigen targeting to myeloid-specific human FcγRI/CD64 triggers enhanced antibody responses in transgenic mice. *I.A.F.M. Heijnen, M.J. van Vugt, N.A. Fanger, R.F. Graziano, T.P.M. de Wit, F.M.A. Hofhuis, P.M. Guyre, P.J.A. Capel, J.S. Verbeek, and J.G.J. van de Winkel* 331

Energy-ubiquitin–dependent muscle proteolysis during sepsis in rats is regulated by glucocorticoids. *G. Tiao, J. Fagan, V. Roegner, M. Lieberman, J.-J. Wang, J.E. Fischer, and P.-O. Hasselgren* 339

Modifications of myelin basic protein in DM20 transgenic mice are similar to those in myelin basic protein from multiple sclerosis. *F.G. Mastronardi, B. Mak, C.A. Ackerley, B.I. Roots, and M.A. Moscarello* 349

A novel *escherichia coli* lipid A mutant that produces an antiinflammatory lipopolysaccharide. *J.E. Somerville, Jr., L. Cassiano, B. Bainbridge, M.D. Cunningham, and R.P. Darveau* 359

Endothelin-3 induces hypertrophy of cardiomyocytes by the endogenous endothelin-1–mediated mechanism. *M. Tamamori, H. Ito, S. Adachi, H. Akimoto, F. Marumo, and M. Hiroe* 366

A nonsense mutation in the erythrocyte band 3 gene associated with decreased mRNA accumulation in a kindred with dominant hereditary spherocytosis. *P.B. Jenkins, G.K. Abou-Alfa, D. Dhermy, E. Bursaux, C. Féo, A.L. Scarpa, S.E. Lux, M. Garbarz, B.G. Forget, and P.G. Gallagher* 373

In vitro and in vivo effects of leukotriene B_4 antagonism in a primate model of asthma. *C.R. Turner, R. Breslow, M.J. Conklyn, C.J. Andresen, D.K. Patterson, A. Lopez-Anaya, B. Owens, P. Lee, J.W. Watson, and H.J. Showell* 381

Regulation of transforming growth factor-β1 expression by the hepatitis B virus (HBV) X transactivator. *Y.D. Yoo, H. Ueda, K. Park, K.C. Flanders, Y.I. Lee, G. Jay, and S.-J. Kim.* 388

Bone mineralization in an osteogenesis imperfecta mouse model studied by small-angle x-ray scattering. *P. Fratzl, O. Paris, K. Klaushofer, and W.J. Landis* 396

Thrombospondin-1, an inhibitor of angiogenesis, is regulated by progesterone in the human endometrium. *M.L. Iruela-Arispe, P. Porter, P. Bornstein, and E.H. Sage* 403

Agmatine, a bioactive metabolite of arginine. *M.J. Lortie, W.F. Novotny, O.W. Peterson, V. Vallon, K. Malvey, M. Mendonca, J. Satriano, P. Insel, S.C. Thomson, and R.C. Blantz* 413

Rhinovirus stimulation of interleukin-6 in vivo and in vitro. Evidence for nuclear factor κB-dependent transcriptional activation. *Z. Zhu, W. Tang, A. Ray, Y. Wu, O. Einarsson, M.L. Landry, J. Gwaltney, Jr., and J.A. Elias* 421

Detection of receptors for interleukin-6, interleukin-11, leukemia inhibitory factor, oncostatin M, and ciliary neurotrophic factor in bone marrow stromal/osteoblastic cells. *T. Bellido, N. Stahl, T.J. Farruggella, V. Borba, G.D. Yancopoulos, and S.C. Manolagas.* 431

Human endometrial matrix metalloproteinase-2, a putative menstrual proteinase. Hormonal regulation in cultured stromal cells and messenger RNA expression during the menstrual cycle. *J.C. Irwin, D. Kirk, R.B.L. Gwatkin, M. Navre, P. Cannon, and L.C. Giudice* 438

Antisense oligodeoxynucleotides selectively suppress expression of the mutant α2(I) collagen allele in type IV osteogenesis imperfecta fibroblasts. A molecular approach to therapeutics of dominant negative disorders. *Q. Wang and J.C. Marini* 448

Hyperproinsulinemia is associated with increased β cell demand after hemipancreatectomy in humans. *E.R. Seaquist, S.E. Kahn, P.M. Clark, C.N. Hales, D. Porte, Jr., and R.P. Robertson* 455

Oxysterols present in atherosclerotic tissue decrease the expression of lipoprotein lipase messenger RNA in human monocyte-derived macrophages. *L. Mattsson Hultén, H. Lindmark, U. Diczfalusy, I. Björkhem, M. Ottosson, Y. Liu, G. Bondjers, and O. Wiklund.* 461

Hypoxia-induced paracrine regulation of vascular endothelial growth factor receptor expression. *E. Brogi, G. Schatteman, T. Wu, E.A. Kim, L. Varticovski, B. Keyt, and J.M. Isner* 469

IgA class switch in Iα exon–deficient mice. Role of germline transcription in class switch recombination. *G.R. Harriman, A. Bradley, S. Das, P. Rogers-Fani, and A.C. Davis* 477

Murine Vλx and Vλx-containing antibodies bind human myelin basic protein. *F.S. Galin, C.C. Maier, S.-R. Zhou, J.N. Whitaker, and J.E. Blalock* 486

Hypoxia-induced exocytosis of endothelial cell Weibel-Palade bodies. A mechanism for rapid neutrophil recruitment after cardiac preservation. *D.J. Pinsky, Y. Naka, H. Liao, M.C. Oz, D.D. Wagner, T.N. Mayadas, R.C. Johnson, R.O. Hynes, M. Heath, C.A. Lawson, and D.M. Stern* 493

The effect of insulin dose on the measurement of insulin sensitivity by the minimal model technique. Evidence for saturable insulin transport in humans. *R.L. Prigeon, M.E. Røder, D. Porte, Jr., and S.E. Kahn* 501

Acute hypertension activates mitogen-activated protein kinases in arterial wall. *Q. Xu, Y. Liu, M. Gorospe, R. Udelsman, and N.J. Holbrook* 508

In vivo trafficking of adoptively transferred interleukin-2 expanded tumor-infiltrating lymphocytes and peripheral blood lymphocytes. Results of a double gene marking trial. *J.S. Economou, A.S. Belldegrun, J. Glaspy, E.M. Toloza, R. Figlin, J. Hobbs, N. Meldon, R. Kaboo, C.-L. Tso, A. Miller, R. Lau, W. McBride, and R.C. Moen* 515

Effects of renin gene transfer on blood pressure and renin gene expression in a congenic strain of dahl salt-resistant rats. *E.M. St. Lezin, M. Pravenec, A.L. Wong, W. Liu, N. Wang, S. Lu, H.J. Jacob, R.J. Roman, D.E. Stec, J.-M. Wang, I.A. Reid, and T.W. Kurtz* 522

Mapping a cardiomyopathy locus to chromosome 3p22-p25. *T.M. Olson and M.T. Keating* 528

Cardiac-specific overexpression of phospholamban alters calcium kinetics and resultant cardiomyocyte mechanics in transgenic mice. *V.J. Kadambi, S. Ponniah, J.M. Harrer, B.D. Hoit, G.W. Dorn II, R.A. Walsh, and E.G. Kranias* 533

Hypoxia alters early gestation human cytotrophoblast differentiation/invasion in vitro and models the placental defects that occur in preeclampsia. *O. Genbacev, R. Joslin, C.H. Damsky, B.M. Polliotti, and S.J. Fisher* 540

Imogen 38: A novel 38-kD islet mitochondrial autoantigen recognized by T cells from a newly diagnosed Type 1 diabetic patient. *S.D. Arden, B.O. Roep, P.I. Neophytou, E.F. Usac, G. Duinkerken, R.R.P. de Vries, and J.C. Hutton* 551

Evidence for an essential role of reactive oxygen species in the genesis of late preconditioning against myocardial stunning in conscious pigs. *J.-Z. Sun, X.-L. Tang, S.-W. Park, Y. Qiu, J.F. Turrens, and R. Bolli* 562

Rapid Publication

Purification and characterization of a naturally processed Hepatitis B virus peptide recognized by $CD8^+$ cytotoxic T lymphocytes. *S.-L. Tsai, M.-H. Chen, C.-T. Yeh, C.-M. Chu, A.-N. Lin, F.-H. Chiou, T.-H. Chang, and Y.-F. Liaw* 577

Author Index 585

Contents

The Journal of Clinical Investigation
February 1, 1996, Volume 97, Number 3

Editorials

Eotaxin: A VIC (very important chemokine) of allergic inflammation? *M. Baggiolini* 587

News about ACE, or, the separate lives of "siamese twin" domains. *E.G. Erdös* 588

Lack of GM-CSF as a cause of pulmonary alveolar proteinosis. *M. Hallman* 589

Perspectives

In vitro differentiation of murine embryonic stem cells. New approaches to old problems. *M.J. Weiss and S.H. Orkin* 591

Regular Articles

Role of CD44 in the reaction of vascular smooth muscle cells to arterial wall injury. *M. Jain, Q. He, W.-S. Lee, S. Kashiki, L.C. Foster, J.-C. Tsai, M.-E. Lee, and E. Haber* 596

Cloning of the human eosinophil chemoattractant, eotaxin. Expression, receptor binding, and functional properties suggest a mechanism for the selective recruitment of eosinophils. *P.D. Ponath, S. Qin, D.J. Ringler, I. Clark-Lewis, J. Wang, N. Kassam, H. Smith, X. Shi, J.-A. Gonzalo, W. Newman, J.-C. Gutierrez-Ramos, and C.R. Mackay* 604

Glucose-induced phosphorylation of the insulin receptor. Functional effects and characterization of phosphorylation sites. *T.S. Pillay, S. Xiao, and J.M. Olefsky* 613

Immunity to the G1 globular domain of the cartilage proteoglycan aggrecan can induce inflammatory erosive polyarthritis and spondylitis in BALB/c mice but immunity to G1 is inhibited by covalently bound keratan sulfate in vitro and in vivo. *J.-Y. Leroux, A. Guerassimov, A. Cartman, N. Delaunay, C. Webber, L.C. Rosenberg, S. Banerjee, and A.R. Poole* 621

Congenital sucrase-isomaltase deficiency. Identification of a glutamine to proline substitution that leads to a transport block of sucrase-isomaltase in a pre-golgi compartment. *J. Ouwendijk, C.E.C. Moolenaar, W.J. Peters, C.P. Hollenberg, L.A. Ginsel, J.A.M. Fransen, and H.Y. Naim* 633

The roles of insulin and glucagon in the regulation of hepatic glycogen synthesis and turnover in humans. *M. Roden, G. Perseghin, K.F. Petersen, J.-H. Hwang, G.W. Cline, K. Gerow, D.L. Rothman, and G.I. Shulman* 642

Pulmonary epithelial cell expression of GM-CSF corrects the alveolar proteinosis in GM-CSF–deficient mice. *J.A. Huffman, W.M. Hull, G. Dranoff, R.C. Mulligan, and J.A. Whitsett* 649

Regulation of calcium channel expression in neonatal myocytes by catecholamines. *T. Maki, E.J. Gruver, A.J. Davidoff, N. Izzo, D. Toupin, W. Colucci, A.R. Marks, and J.D. Marsh* 656

Transepithelial water permeability in microperfused distal airways. Evidence for channel-mediated water transport. *H.G. Folkesson, M.A. Matthay, A. Frigeri, and A.S. Verkman* 664

Apoptotic depletion of CD4+ T cells in idiopathic CD4+ T lymphocytopenia. *J. Laurence, D. Mitra, M. Steiner, D.H. Lynch, F.P. Siegal, and L. Staiano-Coico* 672

Oxidation of pristanic acid in fibroblasts and its application to the diagnosis of peroxisomal β-oxidation defects. *B.C. Paton, P.C. Sharp, D.I. Crane, and A. Poulos* 681

Cryptococcal polysaccharides induce L-selectin shedding and tumor necrosis factor receptor loss from the surface of human neutrophils. *Z.M. Dong and J.W. Murphy* 689

Carney complex, a familial multiple neoplasia and lentiginosis syndrome. Analysis of 11 kindreds and linkage to the short arm of chromosome 2. *C.A. Stratakis, J.A. Carney, J.-P. Lin, D.A. Papanicolaou, M. Karl, D.L. Kastner, E. Pras, and G.P. Chrousos* 699

Specific induction of the 70-kD heat stress proteins by the tyrosine kinase inhibitor herbimycin-A protects rat neonatal cardiomyocytes. A new pharmacological route to stress protein expression. *S.D. Morris, D.V.E. Cumming, D.S. Latchman, and D.M. Yellon* 706

Epinephrine inhibits tumor necrosis factor-α and potentiates interleukin 10 production during human endotoxemia. *T. van der Poll, S.M. Coyle, K. Barbosa, C.C. Braxton, and S.F. Lowry* 713

Proteolytic cleavage and activation of pro–macrophage-stimulating protein by resident peritoneal macrophage membrane proteases. *M.-H. Wang, A. Skeel, and E.J. Leonard* 720

Early and advanced glycosylation end products. Kinetics of formation and clearance in peritoneal dialysis. *M.A. Friedlander, Y.C. Wu, A. Elgawish, and V.M. Monnier* 728

Modulation of basal nitric oxide-dependent cyclic-GMP production by ambient glucose, *Myo*-inositol, and protein kinase C in SH-SY5Y human neuroblastoma cells. *H. Shindo, T.P. Thomas, D.D. Larkin, A.K. Karihaloo, H. Inada, T. Onaya, M.J. Stevens, and D.A. Greene* 736

Proteolysis and phenylalanine hydroxylation in response to parenteral nutrition in extremely premature and normal newborns. *S.C. Denne, C.A. Karn, J.A. Ahlrichs, A.R. Dorotheo, J. Wang, and E.A. Liechty* 746

Stroma-supported culture of childhood B-lineage acute lymphoblastic leukemia cells predicts treatment outcome. *M.-aki Kumagai, A. Manabe, C.H. Pui, F.G. Behm, S.C. Raimondi, M.L. Hancock, H. Mahmoud, W.M. Crist, and D. Campana* 755

Cloning, expression, and type II collagenolytic activity of matrix metalloproteinase-13 from human osteoarthritic cartilage. *P.G. Mitchell, H.A. Magna, L.M. Reeves, L.L. Lopresti-Morrow, S.A. Yocum, P.J. Rosner, K.F. Geoghegan, and J.E. Hambor* 761

Chronic treatment with interleukin-1β induces coronary intimal lesions and vasospastic responses in pigs in vivo. The role of platelet-derived growth factor. *H. Shimokawa, A. Ito, Y. Fukumoto, T. Kadokami, R. Nakaike, M. Sakata, T. Takayanagi, K. Egashira, and A. Takeshita* 769

Genetic mapping of two blood pressure quantitative trait loci on rat chromosome 1. *L. Gu, H. Dene, A.Y. Deng, B. Hoebee, M.-T. Bihoreau, M. James, and J.P. Rapp* 777

Dysregulation of signal transduction pathways as a potential mechanism of nervous system alterations in HIV-1 gp120 transgenic mice and humans with HIV-1 encephalitis. *T. Wyss-Coray, E. Masliah, S.M. Toggas, E.M. Rockenstein, M.J. Brooker, H.S. Lee, and L. Mucke* 789

Hepatic lipase gene therapy in hepatic lipase–deficient mice. Adenovirus-mediated replacement of a lipolytic enzyme to the vascular endothelium. *D. Applebaum-Bowden, J. Kobayashi, V.S. Kashyap, D.R. Brown, A. Berard, S. Meyn, C. Parrott, N. Maeda, R. Shamburek, H.B. Brewer, Jr., and S. Santamarina-Fojo* 799

Growth control of lung cancer by interruption of 5-lipoxygenase–mediated growth factor signaling. *I.M. Avis, M. Jett, T. Boyle, M.D. Vos, T. Moody, A.M. Treston, A. Martínez, and J.L. Mulshine* 806

Differentiated vascular myocytes: Are they involved in neointimal formation? *B. Holifield, T. Helgason, S. Jemelka, A. Taylor, S. Navran, J. Allen, and C. Seidel* 814

Patient selection may affect gene therapy success. Dominant negative effects observed for ornithine transcarbamylase in mouse and human hepatocytes. *M.A. Morsy, J.Z. Zhao, T.T. Ngo, A.W. Warman, W.E. O'Brien, F.L. Graham, and C.T. Caskey* 826

Chronic cardiac rejection in the LEW to F344 rat model. Blockade of CD28-B7 costimulation by CTLA4Ig modulates T cell and macrophage activation and attenuates arteriosclerosis. *M.E. Russell, W.W. Hancock, E. Akalin, A.F. Wallace, T. Glysing-Jensen, T.A. Willett, and M.H. Sayegh* 833

Acute angiotensin-converting enzyme inhibition increases the plasma level of the natural stem cell regulator *N*-Acetyl-Seryl-Aspartyl-Lysyl-proline. *M. Azizi, A. Rousseau, E. Ezan, T.-T. Guyene, S. Michelet, J.-M. Grognet, M. Lenfant, P. Corvol, and J. Ménard* 839

Specific detection of hepatitis C virus minus strand RNA in hematopoietic cells. *H. Lerat, F. Berby, M.-A. Trabaud, O. Vidalin, M. Major, C. Trépo, and G. Inchauspé* 845

DCC protein expression in hematopoietic cell populations and its relation to leukemogenesis. *K. Inokuchi, K. Miyake, H. Takahashi, K. Dan, and T. Nomura* 852

Apolipoprotein A kringle 4–containing fragments in human urine. Relationship to plasma levels of lipoprotein(a). *V. Mooser, M.C. Seabra, M. Abedin, K.T. Landschulz, S. Marcovina, and H.H. Hobbs* 858

Antibodies to a conserved region of HLA class I molecules, capable of modulating CD8 T cell-mediated function, are present in pooled normal immunoglobulin for therapeutic use. *S. Kaveri, T. Vassilev, V. Hurez, R. Lengagne, C. Lefranc, S. Cot, P. Pouletty, D. Glotz, and M.D. Kazatchkine* 865

Generation and characterization of urokinase receptor-deficient mice. *M. Dewerchin, A. Van Nuffelen, G. Wallays, A. Bouché, L. Moons, P. Carmeliet, R.C. Mulligan, and D. Collen* 870

Increased acetyl group availability enhances contractile function of canine skeletal muscle during ischemia. *J.A. Timmons, S.M. Poucher, D. Constantin-Teodosiu, V. Worrall, I.A. Macdonald, and P.L. Greenhaff* 879

Role of endogenous ceruloplasmin in low density lipoprotein oxidation by human U937 monocytic cells. *E. Ehrenwald and P.L. Fox* 884

Author Index 891

Contents

The Journal of Clinical Investigation

February 15, 1996, Volume 97, Number 4

Editorials

Biomedicine '96. Academic medicine meets *SCIENCE*.
A.P. Varki 893

Mast cell tryptase: Hoisted by its own petard?
G.H. Caughey 895

Molecular insights into Fanconi anemia.
R.S. Sparkes 897

Is idiopathic hypoparathyroidism an autoimmune disease?
N.R. Rose 899

Perspectives

Genes and physiology: molecular physiology in genetically engineered animals. *K.R. Chien* 901

Regular Articles

Autoantibodies to the extracellular domain of the calcium sensing receptor in patients with acquired hypoparathyroidism. *Y. Li, Y.-H. Song, N. Rais, E. Connor, D. Schatz, A. Muir, and N. Maclaren* 910

Interleukin-11: stimulation in vivo and in vitro by respiratory viruses and induction of airways hyperresponsiveness. *O. Einarsson, G.P. Geba, Z. Zhu, M. Landry, and J.A. Elias* 915

The molecular basis of hereditary complement factor I deficiency. *T.J. Vyse, B.J. Morley, I. Bartók, E.L. Theodoridis, K.A. Davies, A.D.B. Webster, and M.J. Walport* 925

Endogenous growth hormone (GH)–releasing hormone is required for GH responses to pharmacological stimuli. *C.A. Jaffe, R. DeMott-Friberg, and A.L. Barkan* 934

Hepatic and neuromuscular forms of glycogen storage disease Type IV caused by mutations in the same glycogen-branching enzyme gene. *Y. Bao, P. Kishnani, J.-Y. Wu, and Y.-T. Chen* 941

Two thromboxane A_2 receptor isoforms in human platelets. Opposite coupling to adenylyl cyclase with different sensitivity to Arg60 to leu mutation. *T. Hirata, F. Ushikubi, A. Kakizuka, M. Okuma, and S. Narumiya* 949

Induction of fanconi anemia cellular phenotype in human 293 cells by overexpression of a mutant FAC allele. *H. Youssoufian, Y. Li, M.E. Martin, and M. Buchwald* 957

Regulatory effects of endogenous interleukin-1 receptor antagonist protein in immunoglobulin G immune complex–induced lung injury. *T.P. Shanley, J.L. Peters, M.L. Jones, S.W. Chensue, S.L. Kunkel, and P.A. Ward* 963

Volume regulation in the bovine lens and cataract. The involvement of chloride channels. *J.J. Zhang and T.J.C. Jacob* 971

Decreased platelet inhibition by nitric oxide in two brothers with a history of arterial thrombosis. *J.E. Freedman, J. Loscalzo, S.E. Benoit, C.R. Valeri, M.R. Barnard, and A.D. Michelson* 979

A novel heparin-dependent processing pathway for human tryptase. Autocatalysis followed by activation with dipeptidyl peptidase I. *K. Sakai, S. Ren, and L.B. Schwartz* 988

Role of K^+_{ATP} channels and adenosine in the regulation of coronary blood flow during exercise with normal and restricted coronary blood flow. *D.J. Duncker, N.S. van Zon, Y. Ishibashi, and R.J. Bache* 996

Specific genetic deficiencies of the A and B isoenzymes of monoamine oxidase are characterized by distinct neurochemical and clinical phenotypes. *J.W.M. Lenders, G. Eisenhofer, N.G.G.M. Abeling, W. Berger, D.L. Murphy, C.H. Konings, L.M.B. Wagemakers, I.J. Kopin, F. Karoum, A.H. van Gennip, and H.G. Brunner* 1010

Histamine and thrombin modulate endothelial focal adhesion through centripetal and centrifugal forces. *A.B. Moy, J. Van Engelenhoven, J. Bodmer, J. Kamath, C. Keese, I. Giaever, S. Shasby, and D.M. Shasby* 1020

Effect of anti-interleukin 12 treatment on murine lyme borreliosis. *J. Anguita, D.H. Persing, M. Rincón, S. W. Barthold, and E. Fikrig* 1028

Nuclear retention of *COL1A1* messenger RNA identifies null alleles causing mild osteogenesis imperfecta. *D.A. Redford-Badwal, M.L. Stover, M. Valli, M.B. McKinstry, and D.W. Rowe* 1035

Chronic exposure of βTC-6 cells to supraphysiologic concentrations of glucose decreases binding of the RIPE3b1 insulin gene transcription activator. *V. Poitout, L.K. Olson, and R.P. Robertson* 1041

Chronic hypertension and altered baroreflex responses in transgenic mice containing the human renin and human angiotensinogen genes. *D.C. Merrill, M.W. Thompson, C.L. Carney, B.P. Granwehr, G. Schlager, J.E. Robillard, and C.D. Sigmund* 1047

Intercellular adhesion molecule-1–deficient mice are protected against ischemic renal injury. *K.J. Kelly, W.W. Williams, Jr., R.B. Colvin, S.M. Meehan, T.A. Springer, J.-C. Gutiérrez-Ramos, and J.V. Bonventre* 1056

Impaired actions of insulin-like growth factor 1 on protein synthesis and degradation in skeletal muscle of rats with chronic renal failure. Evidence for a postreceptor defect. *H. Ding, X.-L. Gao, R. Hirschberg, J.V. Vadgama, and J.D. Kopple* 1064

Adaptation of rabbit cortical collecting duct HCO_3^- transport to metabolic acidosis in vitro. *S. Tsuruoka and G.J. Schwartz* 1076

Changes in calcium responsiveness and handling during keratinocyte differentiation. Potential role of the calcium receptor. *D.D. Bikle, A. Ratnam, T. Mauro, J. Harris, and S. Pillai* 1085

Characterization of a glomerular epithelial cell metalloproteinase as matrix metalloproteinase-9 with enhanced expression in a model of membranous nephropathy. *J.I. McMillan, J.W. Riordan, W.G. Couser, A.S. Pollock, and D.H. Lovett* 1094

Rapid Publications

Transfer of granulocyte-macrophage colony-stimulating factor gene to rat lung induces eosinophilia, monocytosis, and fibrotic reactions. *Z. Xing, Y. Ohkawara, M. Jordana, F.L. Graham, and J. Gauldie* 1102

The expression of TNFα by human muscle.Relationship to insulin resistance. *M. Saghizadeh, J.M. Ong, W.T. Garvey, R.R. Henry, and P.A. Kern* 1111

In vivo neutralization of eosinophil-derived major basic protein inhibits antigen-induced bronchial hyperreactivity in sensitized guinea pigs. *J. Lefort, M.-A. Nahori, C. Ruffié, B.B. Vargaftig, and M. Pretolani* 1117

Interleukin (IL)-10 inhibits long-term IL-6 production but not preformed mediator release from rat peritoneal mast cells. *J.S. Marshall, I. Leal-Berumen, L. Nielsen, M. Glibetic, and M. Jordana* 1122

The effect of docosahexaenoic acid on aggression in young adults. A placebo-controlled double-blind study. *T. Hamazaki, S. Sawazaki, M. Itomura, E. Asaoka, Y. Nagao, N. Nishimura, K. Yazawa, T. Kuwamori, and M. Kobayashi* 1129

Author Index 1134

Contents

The Journal of Clinical Investigation
March 1, 1996, Volume 97, Number 5

Editorials

Sickle cell disease: A step closer to the dream.
N. Mohandas and C. Paszty 1135

Do anti-ganglioside antibodies cause human peripheral neuropathies?
R.H. Quarles and M.C. Dalakas 1136

Perspectives

Animal models of human disease for gene therapy.
J.M. Wilson 1138

Regular Articles

Hypoxic encephalopathy after near-drowning studied by quantitative ^{1}H-magnetic resonance spectroscopy. Metabolic changes and their prognostic value. *R. Kreis, E. Arcinue, T. Ernst, T.K. Shonk, R. Flores, and B.D. Ross* 1142

A somatically mutated human antiganglioside IgM antibody that induces experimental neuropathy in mice is encoded by the variable region heavy chain gene, V1-18. *H.J. Willison, G.M. O'Hanlon, G. Paterson, J. Veitch, G. Wilson, M. Roberts, T. Tang, and A. Vincent* 1155

Opiate-mediated inhibition of calcium signaling is decreased in dorsal root ganglion neurons from the diabetic BB/W rat. *K.E. Hall, A.A.F. Sima, and J.W. Wiley* 1165

Thrombin receptor activation elicits rapid protein tyrosine phosphorylation and stimulation of the Raf-1/MAP kinase pathway preceding delayed mitogenesis in cultured rat aortic smooth muscle cells. Evidence for an obligate autocrine mechanism promoting cell proliferation induced by G protein–coupled receptor agonists. *C.J. Molloy, J.E. Pawlowski, D.S. Taylor, C.E. Turner, H. Weber, M. Peluso, and S.M. Seiler* 1173

Modulation of very low density lipoprotein production and clearance contributes to age- and gender-dependent hyperlipoproteinemia in apolipoprotein E3-Leiden transgenic mice. *B.J.M. van Vlijmen, H.B. van 't Hof, M.J.T.M. Mol, H. van der Boom, A. van der Zee, R.R. Frants, M.H. Hofker, and L.M. Havekes* 1184

Altered interaction of *cis*-dichlorodiammineplatinum(II)–modified α_2-macroglobulin (α_2M) with the low density lipoprotein receptor-related protein/α_2M receptor but not the α_2M signaling receptor. Evidence for interference with receptor dissociation and recycling. *G.C. Howard, U.K. Misra, D.L. DeCamp, and S.V. Pizzo* 1193

Suppression of cell-mediated and humoral immune responses by an interleukin-2–immunoglobulin fusion protein in mice. *U. Kunzendorf, T. Pohl, S. Bulfone-Paus, H. Krause, M. Notter, A. Onu, G. Walz, and T. Diamantstein* 1204

Basolateral localization and export activity of the human multidrug resistance–associated protein in polarized pig kidney cells. *R. Evers, G.J.R. Zaman, L. van Deemter, H. Jansen, J. Calafat, L.C.J.M. Oomen, R.P.J.O. Elferink, P. Borst, and A.H. Schinkel* 1211

Clonal T cell expansion induced by interleukin 2 therapy in blood and tumors. *A. Kumar, F. Farace, C. Gaudin, and F. Triebel* 1219

Therapy with oral clotrimazole induces inhibition of the Gardos channel and reduction of erythrocyte dehydration in patients with sickle cell disease. *C. Brugnara, B. Gee, C.C. Armsby, S. Kurth, M. Sakamoto, N. Rifai, S.L. Alper, and O.S. Platt* 1227

Glutamine:fructose-6-phosphate amidotransferase activity in cultured human skeletal muscle cells. Relationship to glucose disposal rate in control and non–insulin-dependent diabetes mellitus subjects and regulation by glucose and insulin. *M.C. Daniels, T.P. Ciaraldi, S. Nikoulina, R.R. Henry, and D.A. McClain* 1235

Dissociation of glomerular hypertrophy, cell proliferation, and glomerulosclerosis in mouse strains heterozygous for a mutation (Os) which induces a 50% reduction in nephron number. *C.-j. He, C. Esposito, C. Phillips, R.K. Zalups, D.A. Henderson, G.E. Striker, and L.J. Striker* 1242

A circulating, biologically inactive thyrotropin caused by a mutation in the beta subunit gene. *G. Medeiros-Neto, D.T. Herodotou, S. Rajan, S. Kommareddi, L. de Lacerda, R. Sandrini, M.C.S. Boguszewski, A.N. Hollenberg, S. Radovick, and F.E. Wondisford* 1250

A mutation in the lipoprotein lipase gene is the molecular basis of chylomicronemia in a colony of domestic cats. *D.G. Ginzinger, M.E.S. Lewis, Y. Ma, B.R. Jones, G. Liu, S.D. Jones, and M.R. Hayden* 1257

Biochemical and functional characterization of xenoreactive natural antibodies in hu-PBL-SCID mice. *B. Naziruddin, R. Shiroki, S. Shishido, T. Howard, and T. Mohanakumar* 1267

H19, a marker of developmental transition, is reexpressed in human atherosclerotic plaques and is regulated by the insulin family of growth factors in cultured rabbit smooth muscle cells. *D.K.M. Han, Z.Z. Khaing, R.A. Pollock, C.C. Haudenschild, and G. Liau* 1276

Angiotensin converting enzyme inhibition modulates endogenous endothelin in chronic canine thoracic inferior vena caval constriction. *A.L. Clavell, M.T. Mattingly, T.L. Stevens, A. Nir, R.S. Wright, L.L. Aarhus, D.M. Heublein, and J.C. Burnett, Jr.* 1286

Lymphocytes stimulate expression of 5-lipoxygenase and its activating protein in monocytes in vitro via granulocyte macrophage colony-stimulating factor and interleukin 3. *W.L. Ring, C.A. Riddick, J.R. Baker, D.A. Munafo, and T.D. Bigby* 1293

Protein kinase C–dependent activation of cytosolic phospholipase A_2 and mitogen-activated protein kinase by alpha$_1$-adrenergic receptors in Madin-Darby canine kidney cells. *M. Xing and P.A. Insel* 1302

The pituitary V3 vasopressin receptor and the corticotroph phenotype in ectopic ACTH syndrome. *Y. de Keyzer, F. Lenne, C. Auzan, S. Jégou, P. René, H. Vaudry, J.-M. Kuhn, J.-P. Luton, E. Clauser, and X. Bertagna* 1311

N^G-monomethyl-L-arginine inhibits the blood flow but not the insulin-like response of forearm muscle to IGF-I. Possible role of nitric oxide in muscle protein synthesis. *D.A. Fryburg* 1319

Rapid Publications

Molecular determinants of acute inflammatory responses to biomaterials. *L. Tang, T.P. Ugarova, E.F. Plow, and J.W. Eaton* 1329

Identification of clonally expanded T cells in rheumatoid arthritis using a sequence enrichment nuclease assay. *R. González-Quintial, R. Baccalà, R.M. Pope, and A.N. Theofilopoulos* 1335

Nocturnal rise of leptin in lean, obese, and non–insulin-dependent diabetes mellitus subjects. *M.K. Sinha, J.P. Ohannesian, M.L. Heiman, A. Kriauciunas, T.W. Stephens, S. Magosin, C. Marco, and J.F. Caro* 1344

FcγRIIA alleles are heritable risk factors for lupus nephritis in African Americans. *J.E. Salmon, S. Millard, L.A. Schachter, F.C. Arnett, E.M. Ginzler, M.F. Gourley, R. Ramsey-Goldman, M.G.E. Peterson, and R.P. Kimberly* 1348

Author Index 1355

Contents

The Journal of Clinical Investigation
March 15, 1996, Volume 97, Number 6

Editorials

Tolerance to factor VIII inhibitors in hemophilia A patients: A French twist. *V. Pascual and J.D. Capra* 1357

Progress towards a unifying hypothesis for angiogenesis. *A.B. Zimrin and T. Maciag* 1359

Perspectives

Targeted mutagenesis: Analysis of phenotype without germ line transmission. *A. Nagy and J. Rossant* 1360

Regular Articles

Low-density lipoprotein receptor-deficient mice are protected against lethal endotoxemia and severe gram-negative infections. *M.G. Netea, P.N.M. Demacker, B.J. Kullberg, O.C. Boerman, I. Verschueren, A.F.H. Stalenhoef, and J.W.M. van der Meer* 1366

Human herpesvirus-6 enhances natural killer cell cytotoxicity via IL-15. *L. Flamand, I. Stefanescu, and J. Menezes* 1373

Neutralizing antiidiotypic antibodies to Factor VIII inhibitors after desensitization in patients with hemophilia A. *J.G. Gilles, B. Desqueper, H. Lenk, J. Vermylen, and J.-M. Saint-Remy* 1382

Islet transplantation under the kidney capsule fully corrects the impaired skeletal muscle glucose transport system of streptozocin diabetic rats. *R. Napoli, A.M. Davalli, M.F. Hirshman, R. Weitgasser, G.C. Weir, and E.S. Horton* 1389

Passive transfer of immediate hypersensitivity and airway hyperresponsiveness by allergen-specific immunoglobulin (Ig) E and IgG1 in mice. *A. Oshiba, E. Hamelmann, K. Takeda, K.L. Bradley, J.E. Loader, G.L. Larsen, and E.W. Gelfand* 1398

Preferential oxidation of glycogen in isolated working rat heart. *G.W. Goodwin, F. Ahmad, and H. Taegtmeyer* 1409

Autoantibodies to DNA-dependent protein kinase. Probes for the catalytic subunit. *A. Suwa, M. Hirakata, Y. Takeda, Y. Okano, T. Mimori, S. Inada, F. Watanabe, H. Teraoka, W.S. Dynan, and J.A. Hardin* 1417

BCL-2 expression or antioxidants prevent hyperglycemia-induced formation of intracellular advanced glycation endproducts in bovine endothelial cells. *I. Giardino, D. Edelstein, and M. Brownlee* 1422

Inhibition of TGF-α gene expression by vitamin A in airway epithelium. *L.A. Miller, Y.H. Zhao, and R. Wu* 1429

Modulation of transforming growth factor β receptor levels on microvascular endothelial cells during in vitro angiogenesis. *S. Sankar, N. Mahooti-Brooks, L. Bensen, T.L. McCarthy, M. Centrella, and J.A. Madri* 1436

The acidosis of chronic renal failure activates muscle proteolysis in rats by augmenting transcription of genes encoding proteins of the ATP-dependent ubiquitin–proteasome pathway. *J.L. Bailey, X. Wang, B.K. England, S.R. Price, X. Ding, and W.E. Mitch* 1447

Endothelin$_B$ receptor activates NHE-3 by a Ca^{2+}-dependent pathway in OKP cells. *T.-S. Chu, Y. Peng, A. Cano, M. Yanagisawa, and R.J. Alpern* 1454

Peptone stimulates CCK-releasing peptide secretion by activating intestinal submucosal cholinergic neurons. *Y. Li and C. Owyang* 1463

Tumor necrosis factor-α– and hyperglycemia-induced insulin resistance. Evidence for different mechanisms and different effects on insulin signaling. *G. Kroder, B. Bossenmaier, M. Kellerer, E. Capp, B. Stoyanov, A. Mühlhöfer, L. Berti, H. Horikoshi, A. Ullrich, and H. Häring* 1471

Mannose corrects altered N-glycosylation in carbohydrate-deficient glycoprotein syndrome fibroblasts. *K. Panneerselvam and H.H. Freeze* 1478

Role of two recently cloned rat liver GSH transporters in the ubiquitous transport of GSH in mammalian cells. *S.C. Lu, W.-M. Sun, J. Yi, M. Ookhtens, G. Sze, and N. Kaplowitz* 1488

Transendothelial insulin transport is not saturable in vivo. No evidence for a receptor-mediated process. *G.M. Steil, M. Ader, D.M. Moore, K. Rebrin, and R.N. Bergman* 1497

Repeat administration of an adenovirus vector encoding cystic fibrosis transmembrane conductance regulator to the nasal epithelium of patients with cystic fibrosis. *J. Zabner, B.W. Ramsey, D.P. Meeker, M.L. Aitken, R.P. Balfour, R.L. Gibson, J. Launspach, R.A. Moscicki, S.M. Richards, T.A. Standaert, J. Williams-Warren, S.C. Wadsworth, A.E. Smith, and M.J. Welsh* 1504

Macrophage/microglial-mediated primary demyelination and motor disease induced by the central nervous system production of interleukin-3 in transgenic mice. *C.-S. Chiang, H.C. Powell, L.H. Gold, A. Samimi, and I.L. Campbell* 1512

Activated platelets signal chemokine synthesis by human monocytes. *A.S. Weyrich, M.R. Elstad, R.P. McEver, T.M. McIntyre, K.L. Moore, J.H. Morrissey, S.M. Prescott, and G.A. Zimmerman* 1525

Rapid Publications

Presence of hypochlorite-modified proteins in human atherosclerotic lesions. *L.J. Hazell, L. Arnold, D. Flowers, G. Waeg, E. Malle, and R. Stocker* 1535

Potentiation of the immune response in HIV-1$^+$ individuals. *T. Schmitz, R. Underwood, R. Khiroya, W.W. Bachovchin, and B.T. Huber* 1545

Modulation of T cell responses to recall antigens presented by Langerhans cells in HIV-discordant identical twins by anti–interleukin (IL)-10 antibodies and IL-12. *A. Blauvelt, C. Chougnet, G.M. Shearer, and S.I. Katz* 1550

Author Index 1556

Contents

The Journal of Clinical Investigation
April 1, 1996, Volume 97, Number 7

Perspectives

Transgenesis in the rat and larger mammals. *L.J. Mullins and J.J. Mullins* 1557

Transcription syndromes and the role of RNA polymerase II general transcription factors in human disease. *T. Aso, A. Shilatifard, J.W. Conaway, and R.C. Conaway* 1561

Regular Articles

A nuclear defect in the 4p16 region predisposes to multiple mitochondrial DNA deletions in families with Wolfram Syndrome. *A. Barrientos, V. Volpini, J. Casademont, D. Genís, J.-M. Manzanares, I. Ferrer, J. Corral, F. Cardellach, A. Urbano-Márquez, X. Estivill, and V. Nunes* 1570

1,25 $(OH)_2$ vitamin D_3 and retinoic acid antagonize endothelin-stimulated hypertrophy of neonatal rat cardiac myocytes. *J. Wu, M. Garami, T. Cheng, and D.G. Gardner* 1577

Dog mastocytoma cells secrete a 92-kD gelatinase activated extracellularly by mast cell chymase. *K.C. Fang, W.W. Raymond, S.C. Lazarus, and G.H. Caughey* 1589

Imbalance towards Th1 predominance is associated with acceleration of lupus-like autoimmune syndrome in MRL mice. *S. Takahashi, L. Fossati, M. Iwamoto, R. Merino,* R. Motta, T. Kobayakawa, and S. Izui* 1597

Neutrophil oxygen radical generation. Synergistic responses to tumor necrosis factor and mono/polyunsaturated fatty acids. *Y. Li, A. Ferrante, A. Poulos, and D.P. Harvey* 1605

Muscle wasting in a rat model of long-lasting sepsis results from the activation of lysosomal, Ca^{2+}-activated, and ubiquitin-proteasome proteolytic pathways. *L. Voisin, D. Breuillé, L. Combaret, C. Pouyet, D. Taillandier, E. Aurousseau, C. Obled, and D. Attaix* 1610

Enhanced myocardial relaxation in vivo in transgenic mice overexpressing the β_2-adrenergic receptor is associated with reduced phospholamban protein. *H.A. Rockman, R. Hamilton, L.R. Jones, C.A. Milano, L. Mao, and R.J. Lefkowitz* 1618

Intramolecular inhibition of human defensin HNP-1 by its propiece. *E.V. Valore, E. Martin, S.S.L. Harwig, and T. Ganz* 1624

Genetic-dietary regulation of serum paraoxonase expression and its role in atherogenesis in a mouse model. *D.M. Shih, L. Gu, S. Hama, Y.-R. Xia, M. Navab, A.M. Fogelman, and A.J. Lusis* 1630

Sympathetic discharge to mesenteric organs and the liver. Evidence for substantial mesenteric organ norepinephrine spillover. *A. Åneman, G. Eisenhofer, L. Olbe, J. Dalenbäck, P. Nitescu, L. Fändriks, and P. Friberg* 1640

Betacellulin and activin A coordinately convert amylase-secreting pancreatic AR42J cells into insulin-secreting cells. *H. Mashima, H. Ohnishi, K. Wakabayashi, T. Mine, J. Miyagawa, T. Hanafusa, M. Seno, H. Yamada, and I. Kojima* 1647

Cytotoxic T lymphocyte responsiveness after resolution of chronic Hepatitis B virus infection. *B. Rehermann, D. Lau, J.H. Hoofnagle, and F.V. Chisari* 1655

Production of interleukin 1β by human hematopoietic progenitor cells. *K. Watari, H. Mayani, F. Lee, W. Dragowska, P.M. Lansdorp, and J.W. Schrader* 1666

GPI-anchored complement regulatory proteins in seminal plasma. An analysis of their physical condition and the mechanisms of their binding to exogenous cells. *I.A. Rooney, J.E. Heuser, and J.P. Atkinson* 1675

A link between c-Myc–mediated transcriptional repression and neoplastic transformation. *L.A. Lee, C. Dolde, J. Barrett, C.S. Wu, and C.V. Dang* 1687

Pancreatic carboxyl ester lipase: A circulating enzyme that modifies normal and oxidized lipoproteins in vitro. *R. Shamir, W.J. Johnson, K. Morlock-Fitzpatrick, R. Zolfaghari, L. Li, E. Mas, D. Lombardo, D.W. Morel, and E.A. Fisher* 1696

The proteinase activated receptor-2 (PAR-2) mediates mitogenic responses in human vascular endothelial cells. Molecular characterization and evidence for functional coupling to the thrombin receptor. *H. Mirza, V. Yatsula, and W.F. Bahou* 1705

Activated transcription factor nuclear factor–kappa B is present in the atherosclerotic lesion. *K. Brand, S. Page, G. Rogler, A. Bartsch, R. Brandl, R. Knuechel, M. Page, C. Kaltschmidt, P.A. Baeuerle, and D. Neumeier* 1715

Expression of $p21^{WAF1/CIP1/SDI1}$ and p53 in apoptotic cells in the adrenal cortex and induction by ischemia/reperfusion injury. *V.V. Didenko, X. Wang, L. Yang, and P.J. Hornsby* 1723

Linkage of decreased bone mass with impaired osteoblastogenesis in a murine model of accelerated senescence. *R.L. Jilka, R.S. Weinstein, K. Takahashi, A.M. Parfitt, and S.C. Manolagas* 1732

Role of blood flow in regulating insulin-stimulated glucose uptake in humans. Studies using bradykinin, [^{15}O]water, and [^{18}F]fluoro-deoxy-glucose and positron emission tomography. *P. Nuutila, M. Raitakari, H. Laine, O. Kirvelä, T. Takala, T. Utriainen, S. Mäkimattila, O.-P. Pitkänen, U. Ruotsalainen, H. Iida, J. Knuuti, and H. Yki-Järvinen* 1741

Ligand recognition by murine anti-DNA autoantibodies. II. Genetic analysis and pathogenicity. *P.C. Swanson, R.L. Yung, N.B. Blatt, M.A. Eagan, J.M. Norris, B.C. Richardson, K.J. Johnson, and G.D. Glick* 1748

CD40 expression by human peripheral blood eosinophils. *Y. Ohkawara, K.G. Lim, Z. Xing, M. Glibetic, K. Nakano, J. Dolovich, K. Croitoru, P.F. Weller, and M. Jordana* 1761

Increased atherosclerosis in streptozotocin-induced diabetic mice. *V.V. Kunjathoor, D.L. Wilson, and R.C. LeBoeuf* 1767

Three alternative promoters of the rat γ-glutamyl transferase gene are active in developing lung and are differentially regulated by oxygen after birth. *M. Joyce-Brady, S.M. Oakes, D. Wuthrich, and Y. Laperche* 1774

Liddle disease caused by a missense mutation of β subunit of the epithelial sodium channel gene. *H. Tamura, L. Schild, N. Enomoto, N. Matsui, F. Marumo, B.C. Rossier, and S. Sasaki* 1780

Author Index 1785

Contents

The Journal of Clinical Investigation

April 15, 1996, Volume 97, Number 8

Editorial

The curtain rises on the renin–angiotensin system: AT_2 receptors are in the spotlight. *J.G. Douglas* 1787

Perspectives

The zebrafish: heritable disorders in transparent embryos. *W. Driever and M.C. Fishman* 1788

Regular Articles

Inhibition of HIV-1 replication by cyclopentenone prostaglandins in acutely infected human cells. Evidence for a transcriptional block. *C. Rozera, A. Carattoli, A. De Marco, C. Amici, C. Giorgi, and M.G. Santoro* 1795

Defective anion transport and marked spherocytosis with membrane instability caused by hereditary total deficiency of red cell Band 3 in cattle due to a nonsense mutation. *M. Inaba, A. Yawata, I. Koshino, K. Sato, M. Takeuchi, Y. Takakuwa, S. Manno, Y. Yawata, A. Kanzaki, J. Sakai, A. Ban, K. Ono, and Y. Maede* 1804

Urokinase is required for the pulmonary inflammatory response to *Cryptococcus neoformans*. A murine transgenic model. *M.R. Gyetko, G.-H. Chen, R.A. McDonald, R. Goodman, G.B. Huffnagle, C.C. Wilkinson, J.A. Fuller, and G.B. Toews* 1818

Constitutive activation of 5-lipoxygenase in the lungs of patients with idiopathic pulmonary fibrosis. *J. Wilborn, M. Bailie, M. Coffey, M. Burdick, R. Strieter, and M. Peters-Golden* 1827

Nitric oxide inhibits viral replication in murine myocarditis. *C.J. Lowenstein, S.L. Hill, A. Lafond-Walker, J. Wu, G. Allen, M. Landavere, N.R. Rose, and A. Herskowitz* 1837

Hyperalphalipoproteinemia in human lecithin cholesterol acyltransferase transgenic rabbits. In vivo apolipoprotein A-I catabolism is delayed in a gene dose-dependent manner. *M.E. Brousseau, S. Santamarina-Fojo, L.A. Zech, A.M. Bérard, B.L. Vaisman, S.M. Meyn, D. Powell, H.B. Brewer, Jr., and J.M. Hoeg* 1844

Leukemia inhibitory factor (LIF) stimulates proopiomelanocortin (POMC) expression in a corticotroph cell line. Role of STAT pathway. *D.W. Ray, S.-G. Ren, and S. Melmed* 1852

Pulsatile insulin release from mouse islets occurs in the absence of stimulated entry of Ca^{2+}. *J. Westerlund, B. Hellman, and P. Bergsten* ... 1860

Enzyme replacement therapy in a feline model of Maroteaux-Lamy syndrome. *A.C. Crawley, D.A. Brooks, V.J. Muller, B.A. Petersen, E.L. Isaac, J. Bielicki, B.M. King, C.D. Boulter, A.J. Moore, N.L. Fazzalari, D.S. Anson, S. Byers, and J.J. Hopwood* 1864

Induction of a negative autocrine loop by expression of Sst2 somatostatin receptor in NIH 3T3 cells. *I. Rauly, N. Saint-Laurent, N. Delesque, L. Buscail, J.-P. Estève, N. Vaysse, and C. Susini* 1874

Urea signaling in cultured murine inner medullary collecting duct (mIMCD3) cells involves protein kinase C, inositol 1,4,5-trisphosphate (IP_3), and a putative receptor tyrosine kinase. *D.M. Cohen, S.R. Gullans, and W.W. Chin* 1884

Monocytic cell type-specific transcriptional induction of collagenase. *R.A. Pierce, S. Sandefur, G.A.R. Doyle, and H.G. Welgus* 1890

Primary preventive and secondary interventionary effects of acetyl-L-carnitine on diabetic neuropathy in the bio-breeding Worcester rat. *A.A.F. Sima, H. Ristic, A. Merry, M. Kamijo, S.A. Lattimer, M.J. Stevens, and D.A. Greene* 1900

Nitric oxide synthase (NOS3) and contractile responsiveness to adrenergic and cholinergic agonists in the heart. Regulation of NOS3 transcription in vitro and in vivo by cyclic adenosine monophosphate in rat cardiac myocytes. *L. Belhassen, R.A. Kelly, T.W. Smith, and J.-L. Balligand* 1908

Angiotensin II–mediated hypertension in the rat increases vascular superoxide production via membrane NADH/NADPH oxidase activation. Contribution to alterations of vasomotor tone. *S. Rajagopalan, S. Kurz, T. Münzel, M. Tarpey, B.A. Freeman, K.K. Griendling, and D.G. Harrison* 1916

Stromelysin-3 expression promotes tumor take in nude mice. *A.C. Noël, O. Lefebvre, E. Maquoi, L. VanHoorde, M.-P. Chenard, M. Mareel, J.-M. Foidart, P. Basset, and M.-C. Rio* 1924

T lymphocyte recruitment by interleukin-8 (IL-8). IL-8–induced degranulation of neutrophils releases potent chemoattractants for human T lymphocytes both in vitro and in vivo. *D.D. Taub, M. Anver, J.J. Oppenheim, D.L. Longo, and W.J. Murphy* 1931

The urokinase receptor (CD87) facilitates CD11b/CD18-mediated adhesion of human monocytes. *R.G. Sitrin, R.F. Todd III, H.R. Petty, T.G. Brock, S.B. Shollenberger, E. Albrecht, and M.R. Gyetko* 1942

The role of cytokines, adhesion molecules, and chemokines in interleukin-2–induced lymphocytic infiltration in C57BL/6 Mice. *J.A. Anderson, A.B. Lentsch, D.J. Hadjiminas, F.N. Miller, A.W. Martin, K. Nakagawa, and M.J. Edwards* 1952

Rapid Publications

Hypokalemia-induced downregulation of aquaporin-2 water channel expression in rat kidney medulla and cortex. *D. Marples, J. Frøkiær, J. Dørup, M.A. Knepper, and S. Nielsen* 1960

Common T cell receptor clonotype in lacrimal glands and labial salivary glands from patients with Sjögren's syndrome. *I. Matsumoto, K. Tsubota, Y. Satake, Y. Kita, R. Matsumura, H. Murata, T. Namekawa, K. Nishioka, I. Iwamoto, Y. Saitoh, and T. Sumida* 1969

The subtype-2 (AT_2) angiotensin receptor regulates renal cyclic guanosine 3′, 5′-monophosphate and AT_1 receptor-mediated prostaglandin E_2 production in conscious rats. *H.M. Siragy and R.M. Carey* 1978

Tumor suppression and inhibition of aneuploid cell accumulation in human brain tumor cells by ectopic overexpression of the cyclin-dependent kinase inhibitor $p27^{KIP1}$. *J. Chen, T. Willingham, M. Shuford, and P.D. Nisen* 1983

Oral L-arginine improves endothelium-dependent dilation in hypercholesterolemic young adults. *P. Clarkson, M.R. Adams, A.J. Powe, A.E. Donald, R. McCredie, J. Robinson, S.N. McCarthy, A. Keech, D.S. Celermajer, and J.E. Deanfield* 1989

Author Index 1995

Contents

The Journal of Clinical Investigation
May 1, 1996, Volume 97, Number 9

Editorials

Complex trait genetics: new methods yield a result for essential hypertension. *D.T. O'Connor, M.T. Kailasam, and R.J. Parmer* 1997

Perspectives

Recent advances in gene mutagenesis by site-directed recombination. *J.D. Marth* 1999

Regular Articles

Cytoplasmic localization of FAC is essential for the correction of a prerepair defect in Fanconi anemia group C cells. *H. Youssoufian* 2003

The new collagenase, collagenase-3, is expressed and synthesized by human chondrocytes but not by synoviocytes: a role in osteoarthritis. *P. Reboul, J.-P. Pelletier, G. Tardif, J.-M. Cloutier, and J. Martel-Pelletier* 2011

Early and late stimulation of ob mRNA expression in meal-fed and overfed rats. *R.B.S. Harris, T.G. Ramsay, S.R. Smith, and R.C. Bruch* 2020

$CD4^+$ $CD7^-$ $CD28^-$ T cells are expanded in rheumatoid arthritis and are characterized by autoreactivity. *D. Schmidt, J.J. Goronzy, and C.M. Weyand* 2027

α-Melanocyte–stimulating hormone reduces endotoxin-induced liver inflammation. *H. Chiao, S. Foster, R. Thomas, J. Lipton, and R.A. Star* 2038

Inferior petrosal sinus sampling in healthy human subjects reveals a unilateral corticotropin-releasing hormone–induced arginine vasopressin release associated with ipsilateral adrenocorticotropin secretion. *K.T. Kalogeras, L.K. Nieman, T.C. Friedman, J.L. Doppman, G.B. Cutler, Jr., G.P. Chrousos, R.L. Wilder, P.W. Gold, and J.A. Yanovski* 2045

Nitric oxide amplifies interleukin 1–induced cyclooxygenase-2 expression in rat mesangial cells. *T. Tetsuka, D. Daphna-Iken, B.W. Miller, Z. Guan, L.D. Baier, and A.R. Morrison* 2051

Identification of cardiac myosin peptides capable of inducing autoimmune myocarditis in BALB/c mice. *C.L. Pummerer, K. Luze, G. Grässl, K. Bachmaier, F. Offner, S.K. Burrell, D.M. Lenz, T.J. Zamborelli, J.M. Penninger, and N. Neu* 2057

Hyperexpression of CD40 ligand by B and T cells in human lupus and its role in pathogenic autoantibody production. *A. Desai-Mehta, L. Lu, R. Ramsey-Goldman, and S.K. Datta* 2063

Expression of the immunoglobulin V_H gene 51p1 is proportional to its germline gene copy number. *E.H. Sasso, T. Johnson, and T.J. Kipps* 2074

Human fatty acid synthesis is stimulated by a eucaloric low fat, high carbohydrate diet. *L.C. Hudgins, M. Hellerstein, C. Seidman, R. Neese, J. Diakun, and J. Hirsch* 2081

Effects of erythropoietin on muscle O_2 transport during exercise in patients with chronic renal failure. *R.M. Marrades, J. Roca, J.M. Campistol, O. Diaz, J.A. Barberà, J.V. Torregrosa, J.R. Masclans, A. Cobos, R. Rodríguez-Roisin, and P.D. Wagner* 2092

Cellular bioenergetics after erythropoietin therapy in chronic renal failure. *R.M. Marrades, J. Alonso, J. Roca, J.M. González de Suso, J.M. Campistol, J.A. Barberà, O. Diaz, J.V. Torregrosa, J.R. Masclans, R. Rodríguez-Roisin, and P.D. Wagner* 2101

Quantitative trait locus mapping of human blood pressure to a genetic region at or near the lipoprotein lipase gene locus on chromosome 8p22. *D.-A. Wu, X. Bu, C.H. Warden, D.D.C. Shen, C.-Y. Jeng, W.H.H. Sheu, M.M.T. Fuh, T. Katsuya, V.J. Dzau, G.M. Reaven, A.J. Lusis, J.I. Rotter, and Y.-D. Ida Chen* 2111

Large scale isolation, growth, and function of porcine neonatal islet cells. *G.S. Korbutt, J.F. Elliott, Z. Ao, D.K. Smith, G.L. Warnock, and R.V. Rajotte* 2119

Cross-regulatory roles of interleukin (IL)-12 and IL-10 in atherosclerosis. *K. Uyemura, L.L. Demer, S.C. Castle, D. Jullien, J.A. Berliner, M.K. Gately, R.R. Warrier, N. Pham, A.M. Fogelman, and R.L. Modlin* 2130

Adhesion-activating phorbol ester increases the mobility of leukocyte integrin LFA-1 in cultured lymphocytes. *D.F. Kucik, M.L. Dustin, J.M. Miller, and E.J. Brown* 2139

Combined administration of recombinant human megakaryocyte growth and development factor and granulocyte colony-stimulating factor enhances multilineage hematopoietic reconstitution in nonhuman primates after radiation-induced marrow aplasia. *A.M. Farese, P. Hunt, L.B. Grab, and T.J. MacVittie* 2145

Endotoxin and cytokines induce expression of leptin, the *ob* gene product, in hamsters. A role for leptin in the anorexia of infection. *C. Grunfeld, C. Zhao, J. Fuller, A. Pollock, A. Moser, J. Friedman, and K.R. Feingold* 2152

Author Index 2159

Contents

The Journal of Clinical Investigation
May 15, 1996, Volume 97, Number 10

Editorials

Would the real role(s) for secretory PLA_2s please stand up. *F. Chilton* 2161

Molecules that protect: The defense of neurons and other cells. *S.I. Said* 2163

O = O NO: It's CO. *J.S. Stamler and C.A. Piantadosi* 2165

Regular Articles

Abnormalities in hepatic lipase in chronic renal failure. Role of excess parathyroid hormone. *M. Klin, M. Smogorzewski, Z. Ni, G. Zhang, and S.G. Massry* 2167

Chymase in exocytosed rat mast cell granules effectively proteolyzes apolipoprotein AI-containing lipoproteins, so reducing the cholesterol efflux-inducing ability of serum and aortic intimal fluid. *L. Lindstedt, M. Lee, G.R. Castro, J.-C. Fruchart, and P.T. Kovanen* 2174

Aquaporin-1 water channel protein in lung. Ontogeny, steroid-induced expression, and distribution in rat. *L.S. King, S. Nielsen, and P. Agre* 2183

Neutral endopeptidase 24.11 in neutrophils modulates protective effects of natriuretic peptides against neutrophils-induced endothelial cytotoxity. *T. Matsumura, K. Kugiyama, S. Sugiyama, M. Ohgushi, K. Yamanaka, M. Suzuki, and H. Yasue* 2192

Increased ferritin gene expression in atherosclerotic lesions. *J.-H.S. Pang, M.-J. Jiang, Y.-L. Chen, F.-W. Wang, D.L. Wang, S.-H. Chu, and L.-Y. Chau* 2204

Intravenous somatic gene transfer with antisense tissue factor restores blood flow by reducing tumor necrosis factor–induced tissue factor expression and fibrin deposition in mouse Meth-A sarcomas. *Y. Zhang, Y. Deng, T. Wendt, B. Liliensiek, A. Bierhaus, J. Greten, W. He, B. Chen, V. Hach-Wunderle, R. Waldherr, R. Ziegler, D. Männel, D.M. Stern, and P.P. Nawroth* 2213

Involution of the lactating mammary gland is inhibited by the IGF system in a transgenic mouse model. *S. Neuenschwander, A. Schwartz, T.L. Wood, C.T. Roberts, Jr., L. Henninghausen, and D. LeRoith* 2225

Expression of human group II PLA_2 in transgenic mice results in epidermal hyperplasia in the absence of inflammatory infiltrate. *D.S. Grass, R.H. Felkner, M.-Y. Chiang, R.E. Wallace, T.J. Nevalainen, C.F. Bennett, and M.E. Swanson* 2233

Glutathione depletion impairs transcriptional activation of heat shock genes in primary cultures of guinea pig gastric mucosal cells. *K. Rokutan, T. Hirakawa, S. Teshima, S. Honda, and K. Kishi* 2242

The double edged sword of the immune response. Mutational analysis of a murine anti-pneumococcal, anti-DNA antibody. *C. Putterman, W. Limpanasithikul, M. Edelman, and B. Diamond* 2251

Nitric oxide production and perivascular tyrosine nitration in brain after carbon monoxide poisoning in the rat. *H. Ischiropoulos, M.F. Beers, S.T. Ohnishi, D. Fisher, S.E. Garner, and S.R. Thom* 2260

Redox control of resistance to *cis*-diamminedichloroplatinum (II) (CDDP). Protective effect of human thioredoxin against CDDP-induced cytotoxicity. *T. Sasada, S. Iwata, N. Sato, Y. Kitaoka, K. Hirota, K. Nakamura, A. Nishiyama, Y. Taniguchi, A. Takabayashi, and J. Yodoi* 2268

A defective V_k A2 allele in Navajos which may play a role in increased susceptibility to *Haemophilus influenzae* type b disease. *A.J. Feeney, M.J. Atkinson, M.J. Cowan, G. Escuro, and G. Lugo* 2277

Role of the D_{1A} dopamine receptor in the pathogenesis of genetic hypertension. *F.E. Albrecht, J. Drago, R.A. Felder, M.P. Printz, G.M. Eisner, J.E. Robillard, D.R. Sibley, H.J. Westphal, and P.A. Jose* 2283

Defective expression of plectin/HD1 in epidermolysis bullosa simplex with muscular dystrophy. *Y. Gache, S. Chavanas, J.P. Lacour, G. Wiche, K. Owaribe, G. Meneguzzi, and J.P. Ortonne* 2289

A femtomolar-acting neuroprotective peptide. *D.E. Brenneman and I. Gozes* 2299

Use of maltose hydrolysis measurements to characterize the interaction between the aqueous diffusion barrier and the epithelium in the rat jejunum. *M.D. Levitt, C. Fine, J.K. Furne, and D.G. Levitt* 2308

Activation of heat shock protein (hsp)70 and proto-oncogene expression by α_1 adrenergic agonists in rat aorta with age. *J.H. Chin, M. Okazaki, Z.-W. Hu, J.W. Miller, and B.B. Hoffman* 2316

T cell subsets, epitope mapping, and HLA-restriction in patients with allergic bronchopulmonary aspergillosis. *B. Chauhan, A.P. Knutsen, P.S. Hutcheson, R.G. Slavin, and C.J. Bellone* 2324

Ca^{2+} channel activation by platelet-derived growth factor–induced tyrosine phosphorylation and *Ras* guanine triphosphate–binding proteins in rat glomerular mesangial cells. *H. Ma, H. Matsunaga, B. Li, B. Schieffer, M.B. Marrero, and B.N. Ling* 2332

The relationship between the fibrinogen D domain self-association/cross-linking site (γXL) and the fibrinogen Dusart abnormality (Aα R554C-albumin). Clues to thrombophilia in the "Dusart Syndrome." *M.W. Mosesson, K.R. Siebenlist, J.F. Hainfeld, J.S. Wall, J. Soria, C. Soria, and J.P. Caen* 2342

Effects of a change in the pattern of insulin delivery on carbohydrate tolerance in diabetic and nondiabetic humans in the presence of differing degrees of insulin resistance. *A. Basu, A. Alzaid, S. Dinneen, A. Caumo, C. Cobelli, and R.A. Rizza* 2351

Role of the intercellular adhesion molecule-1 (ICAM-1) in endotoxin-induced pneumonia evaluated using ICAM-1 antisense oligonucleotides, anti–ICAM-1 monoclonal antibodies, and ICAM-1 mutant mice. *T. Kumasaka, W.M. Quinlan, N.A. Doyle, T.P. Condon, J. Sligh, F. Takei, A.L. Beaudet, C.F. Bennett, and C.M. Doerschuk* 2362

Cardiac secretion of adrenomedullin in human heart failure. *M. Jougasaki, R.J. Rodeheffer, M.M. Redfield, K. Yamamoto, C.-M. Wei, L.J. McKinley, and J.C. Burnett, Jr.* 2370

In vivo targeting of inducible NO synthase with oligodeoxynucleotides protects rat kidney sgainst ischemia. *E. Noiri, T. Peresleni, F. Miller, and M.S. Goligorsky* 2377

Farnesyl analogues inhibit vasoconstriction in animal and human arteries. *J.-B. Roullet, H. Xue, J. Chapman, P. McDougal, C.M. Roullet, and D.A. McCarron* 2384

Preconditioning in rabbit cardiomyocytes. Role of pH, vacuolar proton ATPase, and apoptosis. *R.A. Gottlieb, D.L. Gruol, J.Y. Zhu, and R.L. Engler* 2391

Author Index 2399

Correction 2401

Contents

The Journal of Clinical Investigation

June 1, 1996, Volume 97, Number 11

Editorials

Balancing cell life and death: Bax, apoptosis, and breast cancer. *J.C. Reed* 2403

Finally, a noncontroversial role for apo A-I in HDL-mediated cholesterol flux to cells. *G.H. Rothblat* 2405

The enigma of the Wiskott-Aldrich syndrome begins to unravel. *F.S. Rosen* 2407

Regular Articles

Opposite regulation of human versus mouse apolipoprotein A-I by fibrates in human apolipoprotein A-I transgenic mice. *L. Berthou, N. Duverger, F. Emmanuel, S. Langouët, J. Auwerx, A. Guillouzo, J.-C. Fruchart, E. Rubin, P. Denèfle, B. Staels, and D. Branellec* 2408

Alterations in basal and glucose-stimulated voltage-dependent Ca^{2+} channel activities in pancreatic β cells of non–insulin-dependent diabetes mellitus GK rats. *S. Kato, H. Ishida, Y. Tsuura, K. Tsuji, M. Nishimura, M. Horie, T. Taminato, S. Ikehara, H. Odaka, H. Ikeda, Y. Okada, and Y. Seino* 2417

Reduced epidermal growth factor receptor expression in hypohidrotic ectodermal dysplasia and *Tabby* mice. *G.A. Vargas, E. Fantino, C. George-Nascimento, J.J. Gargus, and H.T. Haigler* 2426

Immunosuppressant FK506 induces interleukin-6 production through the activation of transcription factor nuclear factor (NF)-κB. Implications for FK506 nephropathy. *K. Muraoka, K. Fujimoto, X. Sun, K. Yoshioka, K. Shimizu, M. Yagi, H. Bose, Jr., I. Miyazaki, and K. Yamamoto* 2433

Fibrin deposition in tissues from endotoxin-treated mice correlates with decreases in the expression of urokinase-type but not tissue-type plasminogen activator. *K. Yamamoto and D.J. Loskutoff* 2440

Elafin, a serine elastase inhibitor, attenuates post-cardiac transplant coronary arteriopathy and reduces myocardial necrosis in rabbits after heterotopic cardiac transplantation. *B. Cowan, O. Baron, J. Crack, C. Coulber, G.J. Wilson, and M. Rabinovitch* 2452

The α1β1 integrin is expressed during neointima formation in rat arteries and mediates collagen matrix reorganization. *P.J. Gotwals, G. Chi-Rosso, V. Lindner, J. Yang, L. Ling, S.E. Fawell, and V.E. Koteliansky* 2469

The kidney is a major site of α_2-antiplasmin production. *P.-A. Menoud, N. Sappino, M. Boudal-Khoshbeen, J.-D. Vassalli, and A.-P. Sappino* 2478

Cytokine-induced meningitis is dramatically attenuated in mice deficient in endothelial selectins. *T. Tang, P.S. Frenette, R.O. Hynes, D.D. Wagner, and T.N. Mayadas* 2485

Inhibition of 5-lipoxygenase–activating protein (FLAP) reduces pulmonary vascular reactivity and pulmonary hypertension in hypoxic rats. *N.F. Voelkel, R.M. Tuder, K. Wade, M. Höper, R.A. Lepley, J.L. Goulet, B.H. Koller, and F. Fitzpatrick* 2491

The cytoskeletal linking proteins, moesin and radixin, are upregulated by platelet-derived growth factor, but not basic fibroblast growth factor in experimental mesangial proliferative glomerulonephritis. *C. Hugo, C. Hugo, R. Pichler, K. Gordon, R. Schmidt, M. Amieva, W.G. Couser, H. Furthmayr, and R.J. Johnson* 2499

Angiotensin II causes weight loss and decreases circulating insulin-like growth factor I in rats through a pressor-independent mechanism. *M. Brink, J. Wellen, and P. Delafontaine* 2509

P-glycoprotein in the blood-brain barrier of mice influences the brain penetration and pharmacological activity of many drugs. *A.H. Schinkel, E. Wagenaar, C.A.A.M. Mol, and L. van Deemter* 2517

Molecular cloning of a glibenclamide-sensitive, voltage-gated potassium channel expressed in rabbit kidney. *X. Yao, A.Y. Chang, E.L. Boulpaep, A.S. Segal, and G.V. Desir* 2525

Phosphorus restriction prevents parathyroid gland growth. High phosphorus directly stimulates PTH secretion in vitro. *E. Slatopolsky, J. Finch, M. Denda, C. Ritter, M. Zhong, A. Dusso, P.N. MacDonald, and A.J. Brown* 2534

CD44-related chondroitin sulfate proteoglycan, a cell surface receptor implicated with tumor cell invasion, mediates endothelial cell migration on fibrinogen and invasion into a fibrin matrix. *C.A. Henke, U. Roongta, D.J. Mickelson, J.R. Knutson, and J.B. McCarthy* 2541

Regulation of PPAR γ gene expression by nutrition and obesity in rodents. *A. Vidal-Puig, M. Jimenez-Liñan, B.B. Lowell, A. Hamann, E. Hu, B. Spiegelman, J.S. Flier, and D.E. Moller* 2553

Nitric oxide–mediated cyclooxygenase activation. A key event in the antiplatelet effects of nitrovasodilators. *D. Salvemini, M.G. Currie, and V. Mollace* 2562

A common amino acid polymorphism in insulin receptor substrate-1 causes impaired insulin signaling. Evidence from transfection studies. *K. Almind, G. Inoue, O. Pedersen, and C.R. Kahn* 2569

Hormonal basis for the gender difference in epidermal barrier formation in the fetal rat. Acceleration by estrogen and delay by testosterone. *K. Hanley, U. Rassner, Y. Jiang, D. Vansomphone, D. Crumrine, L. Komüves, P.M. Elias, K.R. Feingold, and M.L. Williams* 2576

Endotoxin and cytokines decrease serum levels and extra hepatic protein and mRNA levels of cholesteryl ester transfer protein in Syrian hamsters. *I. Hardardóttir, A.H. Moser, J. Fuller, C. Fielding, K. Feingold, and C. Grünfeld* 2585

Mechanism of cytokine-induced modulation of β-adrenoceptor responsiveness in airway smooth muscle. *H. Hakonarson, D.J. Herrick, P.Gonzalez Serrano, and M.M. Grunstein* 2593

Obesity/insulin resistance is associated with endothelial dysfunction. Implications for the syndrome of insulin resistance. *H.O. Steinberg, H. Chaker, R. Leaming, A. Johnson, G. Brechtel, and A.D. Baron* 2601

Metabolic effects of successful intraportal islet transplantation in insulin-dependent diabetes mellitus. *L. Luzi, B.J. Hering, C. Socci, G. Raptis, A. Battezzati, I. Terruzzi, L. Falqui, H. Brandhorst, D. Brandhorst, E. Regalia, E. Brambilla, A. Secchi, G. Perseghin, P. Maffi, E. Bianchi, V. Mazzaferro, L. Gennari, V.Di Carlo, K. Federlin, G. Pozza, and R.G. Bretzel* 2611

Distinctive immune response patterns of human and murine autoimmune sera to U1 small nuclear ribonucleoprotein C protein. *M. Satoh, J.J. Langdon, K.J. Hamilton, H.B. Richards, D. Panka, R.A. Eisenberg, and W.H. Reeves* 2619

Studies of the expression of the Wiskott-Aldrich syndrome protein. *D.M. Stewart, S. Treiber-Held, C.C. Kurman, F. Facchetti, L.D. Notarangelo, and D.L. Nelson* 2627

Human cytomegalovirus-induced immunosuppression. Relationship to tumor necrosis factor-dependent release of arachidonic acid and prostaglandin E_2 in human monocytes. *M.A. Nokta, M.I. Hassan, K. Loesch and R.B. Pollard* 2635

T cell receptor biases and clonal proliferations among lung transplant recipients with obliterative bronchiolitis. *S.R. Duncan, V. Valentine, M. Roglic, D.J. Elias, K.W. Pekny, J. Theodore, D.H. Kono, and A.N. Theofilopoulos* 2642

Overexpression of the death-promoting gene bax-α which is downregulated in breast cancer restores sensitivity to different apoptotic stimuli and reduces tumor growth in SCID mice. *R.C. Bargou, C. Wagener, K. Bommert, M.Y. Mapara, P.T. Daniel, W. Arnold, M. Dietel, H. Guski, A. Feller, H.D. Royer, and B. Dörken* 2651

Apolipoprotein A-I is required for cholesteryl ester accumulation in steroidogenic cells and for normal adrenal steroid production. *A.S. Plump, S.K. Erickson, W. Weng, J.S. Partin, J.L. Breslow, and D.L. Williams* 2660

Selective inhibition of cyclooxygenase (COX)-2 reverses inflammation and expression of COX-2 and interleukin 6 in rat adjuvant arthritis. *G.D. Anderson, S.D. Hauser, K.L. McGarity, M.E. Bremer, P.C. Isakson, and S.A. Gregory* 2672

Rapid Publication

Preservation of complement-induced lung injury in mice with deficiency of NADPH oxidase. *H. Kubo, D. Morgenstern, W.M. Quinlan, P.A. Ward, M.C. Dinauer, and C.M. Doerschuk* 2680

Author Index 2685

Contents

The Journal of Clinical Investigation

June 15, 1996, Volume 97, Number 12

Editorials

Cholesteryl ester transfer protein: friend or foe? *C.J. Fielding and R.J. Havel* 2687

Genetics reveals importance of platelet activating factor in asthma and possibly other inflammatory states. *J.A. Nadel* 2689

Sticky business: cytoskeleton and Na^+ transport. *D.G. Warnock* 2691

Perspectives

Bisphosphonates: mechanisms of action. *G.A. Rodan and H.A. Fleisch* 2692

Regular Articles

Altered expression of glomerular heat shock protein 27 in experimental nephrotic syndrome. *W.E. Smoyer, A. Gupta, P. Mundel, J.D. Ballew, and M.J. Welsh* 2697

The effect of non–insulin-dependent diabetes mellitus and obesity on glucose transport and phosphorylation in skeletal muscle. *D.E. Kelley, M.A. Mintun, S.C. Watkins, J.-A. Simoneau, F. Jadali, A. Fredrickson, J. Beattie, and R. Thériault* 2705

Hereditary hepatic and systemic amyloidosis caused by a new deletion/insertion mutation in the apolipoprotein AI gene. *D.R. Booth, S.-Y. Tan, S.E. Booth, G.A. Tennent, W.L. Hutchinson, J.J. Hsuan, N.F. Totty, O. Truong, A.K. Soutar, P.N. Hawkins, M. Bruguera, J. Caballería, M. Solé, J.M. Campistol, and M.B. Pepys* 2714

Human natural killer cells produce abundant macrophage inflammatory protein-1α in response to monocyte-derived cytokines. *E.M. Bluman, K.J. Bartynski, B.R. Avalos, and M.A. Caligiuri* 2722

Essentiality of circulating fatty acids for glucose-stimulated insulin secretion in the fasted rat. *D.T. Stein, V. Esser, B.E. Stevenson, K.E. Lane, J.H. Whiteside, M.B. Daniels, S. Chen, and J.D. McGarry* 2728

Role of lysophosphatidylcholine in the inhibition of endothelial cell motility by oxidized low density lipoprotein. *G. Murugesan and P.L. Fox* 2736

Dopamine decreases expression of type-1 angiotensin II receptors in renal proximal tubule. *H.-F. Cheng, B.N. Becker, and R.C. Harris* 2745

A mouse model of gyrate atrophy of the choroid and retina: early retinal pigment epithelium damage and progressive retinal degeneration. *T. Wang, A.H. Milam, G. Steel, and D. Valle* 2753

Rat renal arcade segment expresses vasopressin-regulated water channel and vasopressin V_2 receptor. *B.K. Kishore, B. Mandon, N.B. Oza, S.R. DiGiovanni, R.A. Coleman, N.L. Ostrowski, J.B. Wade, and M.A. Knepper* 2763

Identification and characterization of glima 38, a glycosylated islet cell membrane antigen, which together with GAD_{65} and IA2 marks the early phases of autoimmune response in type 1 diabetes. *H.-J. Aanstoot, S.-M. Kang, J. Kim, L. Lindsay, U. Roll, M. Knip, M. Atkinson, P. Mose-Larsen, S. Fey, J. Ludvigsson, M. Landin, J. Bruining, N. Maclaren, H.K. Åkerblom, and S. Bækkeskov* 2772

Platelet-activating factor acetylhydrolase deficiency: a missense mutation near the active site of an anti-inflammatory phospholipase. *D.M. Stafforini, K. Satoh, D.L. Atkinson, L.W. Tjoelker, C. Eberhardt, H.Yoshida, T.-a. Imaizumi, S. Takamatsu, G.A. Zimmerman, T.M. McIntyre, P.W. Gray, and S.M. Prescott* 2784

Inhibition of interleukin-8 reduces tumorigenesis of human non-small cell lung cancer in SCID mice. *D.A. Arenberg, S.L. Kunkel, P.J. Polverini, M. Glass, M.D. Burdick, and R.M. Strieter* 2792

Transcription of human herpesvirus-like agent (HHV-8) in Kaposi's sarcoma. *Y.Q. Huang, J.J. Li, W.-G. Zhang, D. Feiner, and A.E. Friedman-Kien* 2803

Changes in aquaporin-2 protein contribute to the urine concentrating defect in rats fed a low-protein diet. *J.M. Sands, M. Naruse, J.D. Jacobs, J.N. Wilcox, and J.D. Klein* 2807

Hypertension-associated point mutations in the adducin α and β subunits affect actin cytoskeleton and ion transport. *G. Tripodi, F. Valtorta, L. Torielli, E. Chieregatti, S. Salardi, L. Trusolino, A. Menegon, P. Ferrari, P.-C. Marchisio, and G. Bianchi* 2815

Differential expression in glioblastoma multiforme and cerebral hemangioblastoma of cytoplasmic proteins that bind two different domains within the 3′-untranslated region of the human glucose transporter 1 (GLUT1) messenger RNA. *H. Tsukamoto, R.J. Boado, and W.M. Pardridge* 2823

Paradoxical effects of a synthetic metalloproteinase inhibitor that blocks both p55 and p75 TNF receptor shedding and TNFα processing in RA synovial membrane cell cultures. *L.M. Williams, D.L. Gibbons, A. Gearing, R.N. Maini, M. Feldmann, and F.M. Brennan* 2833

Altered cardiac troponin T in vitro function in the presence of a mutation implicated in familial hypertrophic cardiomyopathy. *D. Lin, A. Bobkova, E. Homsher, and L.S. Tobacman* 2842

Immunization with T cell receptor Vβ chain peptides deletes pathogenic T cells and prevents the induction of collagen-induced arthritis in mice. *T.M. Haqqi, X.-M. Qu, D. Anthony, J. Ma, and M.-S. Sy* 2849

Rapid Publications

Mechanism of free fatty acid–induced insulin resistance in humans. *M. Roden, T.B. Price, G. Perseghin, K.F. Petersen, D.L. Rothman, G.W. Cline, and G.I. Shulman* 2859

Mechanisms of drug-induced lupus II. T cells overexpressing lymphocyte function-associated antigen 1 become autoreactive and cause a lupuslike disease in syngeneic mice. *R. Yung, D. Powers, K. Johnson, E. Amento, D. Carr, T. Laing, J. Yang, S. Chang, N. Hemati, and B. Richardson* 2866

Transgenic expression of tpr-met oncogene leads to development of mammary hyperplasia and tumors. *T.J. Liang, A.E. Reid, R. Xavier, R.D. Cardiff, and T.C. Wang* 2872

Endogenous production of angiotensin II modulates rat proximal tubule transport. *A. Quan and M. Baum* 2878

Accelerated death of retinal microvascular cells in human and experimental diabetic retinopathy. *M. Mizutani, T.S. Kern, and M. Lorenzi* 2883

Apoptosis in pressure overload-induced heart hypertrophy in the rat. *E. Teiger, T.-V. Dam, L. Richard, C. Wisnewsky, B.-S. Tea, L. Gaboury, J. Tremblay, K. Schwartz, and P. Hamet* 2891

Expression of uncoupling protein in skeletal muscle and white fat of obese mice treated with thermogenic β3-adrenergic agonist. *I. Nagase, T. Yoshida, K. Kumamoto, T. Umekawa, N. Sakane, H. Nikami, T. Kawada, and M. Saito* 2898

Differential expression of perforin in muscle-infiltrating T cells in polymyositis and dermatomyositis. *N. Goebels, D. Michaelis, M. Engelhardt, S. Huber, A. Bender, D. Pongratz, M.A. Johnson, H. Wekerle, J. Tschopp, D. Jenne, and R. Hohlfeld* 2905

Expression of naked DNA in human, pig, and mouse skin. *U.R. Hengge, P.S. Walker, and J.C. Vogel* 2911

Increased coronary heart disease in Japanese-American men with mutation in the cholesteryl ester transfer protein gene despite increased HDL levels. *S. Zhong, D.S. Sharp, J.S. Grove, C. Bruce, K. Yano, J.D. Curb, and A.R. Tall* 2917

Author Index 2925

Correction 2927

Author Index to Volume 97 2929